

Recommendations by Polymer

<i>Polymer</i>	<i>Type</i>	PRODUCT RECOMMENDATION	<i>Uses</i>
ALKYD	Solvent-Borne	C-523.2H, C-515.71HR, C-515.72HR	Coatings for various metals, wood
	Water-Borne	B-523.6WH, C-515.71/ 1.5H, C-523.72HRW	
ACRYLIC	Solvent-Borne	C-523.2H, C-515.71HR	Coatings for various metals
	Water-Borne	B-515.71W, B-515.71WM, C-515.71/ 1.5H, C-515.71HR, C-515.72HR	DTM, primer coatings on metals; B-515.71W for coating/ adhesive on plastic film
EPDM	Sulfur Cured	B-505.1	Roof membranes, general automotive
	Metal Oxide Cured	B-515.1/2H, C-515.71/ 1.5H	
EPOXY	2K	C-515.71HR*, C-515.71/ 1.5H*, C-515.72HR, B-515.1/ 2H	*Preferred recommendations
	Water-Borne	C-515.71/ 1.5H, C-515.71HR	Metal primers, adhesives, electronic encapsulants, flooring
METHACRYLATE		C-515.72HR, C-515.71HR, B-545.1	
NATURAL RUBBER		B-505.1, C-505.1/ 2H, B-505.6	Shoe soles
NEOPRENE	Rubber	B-515.1/ 2H, C-515.71/ 1.5H	Adhesives, molded rubber articles
	Solvent-Borne	C-515.71/1.5H, B-515.1/ 2H	
	Water Borne	B-505.6, C-515.71/ 1.5H, B-600.6	
NITRILE RUBBER		B-505.1, B-505.6, C-505.1/ 2H	Industrial process rolls, shoe soles
PHENOLIC		B-515.71W, B-515.1/2H, C-515.71HR	Industrial abrasive wheels; adhesion to glass
POLYESTER/ MELAMINE		C-515.71HR, D-525.3, D-525.31, D-531.1	Coil coatings, general metal finishing
POLYESTER	Unsaturated	B-545.1, C-515.71HR, C-515.72HR	Pigment dispersions: B-535.1, D-535.1
			SMC/ BMC: D-531.1, B-545.1
POLYOLEFINS		D-535.1	For pigment dispersion & mineral filler treatment
POLYURETHANE	2K	D-525.3, C-515.71HR*, C-515.72HR, C-515.71/1.5H	Add to polyol side (B) at 0.35-2.0 phr based upon total side A + side B
	Water Borne	B-515.71W, B-515.1WHM, C-515.71HR	Metal primers, plastic coatings
POLYVINYL ACETATE		B-515.71W, B-515.1WH, B-523.2W	Adhesives, sealants, WB coatings
POLYVINYLIDENE Chloride		B-515.1WH, B-523.2W	Anti-corrosive primers
SBR	Rubber	B-505.1, C-505.1/ 2H	Shoe soles, rubber adhesives
	Latex	B-505.6, C-515.71HR, C-515.72HR	
STYRENATED ACRYLIC		B-515.71W, C-515.71/1.5H, C-515.71HR	Primers, DTM coatings. B-515.71W useful for adhesion to EPDM roof membrane, plastic film